



Notified body No. 1397

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1397-CPR-0040

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011, this certificate applies to the construction product

expanded polystyrene board without coating

Parameters (type): **EPS 60**

$\lambda_D = 0,041 \text{ W/(m}\cdot\text{K)}$, reaction to fire class **E**,

EPS-EN 13163-T2-L2-W2-S2-P5-BS100-CS(10)60-DS(N)2-DS(70,-)1

Intended use: **for the thermal insulation of buildings**

Placed on the market under the name: **UAB "Baltijos polistirenas",
S. Lozoraičio g. 15A, Garliava, LT-53229 Kaunas, Lithuania**

Produced in the manufacturing plant:

UAB "Baltijos polistirenas",

S. Lozoraičio g. 15A, Garliava, LT-53229 Kaunas, Lithuania

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 13163:2012+A1:2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to **ensure the constancy of performance of the construction product**

This certificate was first issued on **2004-09-14** and will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Information about validity of this certificate is published at www.spsc.lt

Director



Valdemaras Gauronskis

Vilnius, 2021-04-16